

Sovchem® DOTG

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION	
Manufacturer Sovereign Chemical Company 4040 Embassy Parkway, Suite 190 Akron, OH 44333	Emergency Contact Chemtrec: 1-800-424-9300 (USA) (1)330-542-8400 (outside USA)
Trade Name(s): Sovchem® DOTG Oiled Powder	Chemical Name: Guanidine, N, N'-bis(2-methylphenyl)
Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available.	Application of the substance/the preparation: Chemicals for synthesis.
Issued By: Sovereign Chemical Company According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS	Date of Issue: November 1, 2021

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Information in accordance with US 29 CFR 1910.1200 (Hazcom 2012) and Regulation (EC) No 1272/2008



H301 Toxic if swallowed.

2.2 Label elements

The substance is classified and labeled according to the CLP regulation.

Hazard pictograms



GHS08

Signal word Danger

Hazard-determining components of labeling

1,3-di-o-tolylguanidine o-toluidine

Hazard statements

H301 Toxic if swallowed.

H319 Causes serious eye injury.

H350 May cause cancer.

Precautionary statements

P281 Use personal protective equipment as required.

P264 Wash thoroughly after handling.

P202 Do not handle until all safety precautions have been read and understood.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.







P330 Rinse mouth.

Additional information: Restricted to professional users.
 Hazard description

2.3 Other hazards
 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Description: Mixture of substances listed below with nonhazardous additions.
 Dangerous components

CAS: 97-39-2 EINECS: 202-577-6	1,3-di-o-tolylguanidine  Acute Tox. 4, H302	>75%
CAS: 8042-47-5 EINECS: 232-455-8	White Mineral Oil  Asp. Tox. 1, H304	<10%
CAS: 95-53-4 EINECS: 202-429-0 Index number: 612-091-00-X	o-toluidine  Acute Tox. 3, H301; Acute Tox. 3, H331  Carc. 1B, H350  Aquatic Acute 1, H400  Eye Irrit. 2, H319	<1.0%

4. FIRST AID MEASURES

4.1 Description of first aid measures
 General information

Immediately remove any clothing soiled by the product.
 In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.

After eye contact

Remove contact lenses if worn.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Asthma attacks
- Allergic reactions
- Gastric or intestinal disorders
- Headache
- Dizziness

Hazards

Danger of circulatory collapse.
Danger of convulsion.
Danger of disturbed cardiac rhythm.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.
Monitor circulation, possible shock treatment.
Medical supervision for at least 48 hours.
If necessary oxygen respiration treatment.
Treat skin and mucous membrane with antihistamine and corticoid preparations.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons, unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment

Wear self-contained respiratory protective device.
Wear fully protective suit.

Additional information: Cool endangered receptacles with water spray.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Avoid formation of dust.
Ensure adequate ventilation

6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.
Suppress gases/fumes/haze with water haze or fog.

6.3 Methods and material for containment and cleaning up

Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to Section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of dust.
 Any unavoidable deposit of dust must be regularly removed.
 Keep away from heat and direct sunlight.
 Dust can combine with air to form an explosive mixture.
 Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
 Storage
 Requirements to be met by storerooms and receptacles
 Store in a cool location.
 Protect from humidity and water.
 Due to photo-sensitivity, store product in brown-glass or stainless-steel receptacles.
 Avoid storage near extreme heat, ignition sources or open flame.
 Provide ventilation for receptacles.
 Information about storage in one common storage facility
 Store away from foodstuffs.
 Do not store together with oxidizing and acidic materials.
 Store away from water.
 Further information about storage conditions
 Store in cool, dry conditions in well-sealed receptacles.
 Store receptacle in a well-ventilated area.
 Keep container tightly sealed.
 Protect from heat and direct sunlight.
 Protect from humidity and water.

7.3 Specific end use(s): No further relevant information available.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters
 Ingredients with limit values that require monitoring at the workplace: 95-53-4 o-toluidine

PEL (USA)	22 mg/m ³ , 5 ppm Skin
REL (USA)	Skin; See Pocket Guide App. A
TLV (USA)	8,8 mg/m ³ , 2 ppm Skin; BEI-M
EL (Canada)	2 ppm Skin; IARC 1
EV (Canada)	9 mg/m ³ , 2 ppm Skin

DNELs: No further relevant information available.
 PNECs: No further relevant information available.
 Ingredients with biological limit values: 95-53-4 o-toluidine

BEI (USA)	1,5 % of hemoglobin Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative)
-----------	---

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

Respiratory protection



Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.

Protection of hands



Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests, no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

Eye protection



Safety glasses

Body protection: Impervious protective clothing.

Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information.
No further relevant information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties
General Information

Appearance Form: Powder Color: Light Gray	Change in Condition Melt Point/Range: Undetermined Boiling point/Range: Undetermined
Odor: Odorless	Odor threshold: Not determined
pH: Not applicable	Flash point: Not applicable
Vapor Pressure: Not applicable	Flammability (solid, gaseous): Not determined
Density at 20 °C: 1.1 g/cm ³	Ignition temperature: Not determined
Relative density: Not determined.	Decomposition temperature: Not determined
Vapor Density (Air = 1): Not applicable	Self-igniting: Product is not self-igniting.
Evaporation rate: Not applicable.	Danger of explosion: Product does not present an explosion hazard.
Solubility in / Miscibility with water: Insoluble.	
Viscosity Dynamic: Not applicable. Kinematic: Not applicable.	Explosion limits Lower: Not determined. Upper: Not determined.

9.2 Other information: No further relevant information available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Moist conditions

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

As the product is supplied it is not capable of dust explosion; however, enrichment with fine dust causes risk of dust explosion.

Reacts with acids, alkalis and oxidizing agents.

Contact with acids releases toxic gases.

Photoreactive.

10.4 Conditions to avoid

Store away from oxidizing agents.

Moisture.

Keep away from heat and direct sunlight.

10.5 Incompatible materials: Contact with acids liberates toxic gases.

10.6 Hazardous decomposition products

Nitrogen oxides

Carbon monoxide and carbon dioxide

Danger of forming toxic pyrolysis products.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:		
97-39-2 1,3-di-o-tolylguanidine		
Oral	LD50	500 mg/kg (rat)
95-53-4 o-toluidine		
Oral	LD50	670 mg/kg (rat)
Dermal	LD50	3250 mg/kg (rabbit)

Primary irritant effect

on the skin: No irritant effect.

on the eye: No irritant effect.

Sensitization: No sensitizing effects known.

Additional toxicological information

The product shows the following dangers according to the calculation method of the General EU

Classification

Guidelines for Preparations as issued in the latest version:

Toxic

Carcinogenic.

The product can cause deformations.

Carcinogenic if inhaled.

Sensitization: Sensitization possible by inhalation and/or dermal contact.

Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic toxicity: The product contains materials that are harmful to the environment.

12.2 Persistence and degradability: The product is not easily, but potentially biodegradable.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

Additional ecological information

General notes

This statement was deduced from the properties of the single components.

The product may not be released into the environment without control.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment cannot be excluded.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recommendation

After prior treatment product must be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Uncleaned packaging

Recommendation: · Disposal must be made according to official regulations.

14. TRANSPORTATION INFORMATION

14.1 UN-Number

DOT, ADR, IMDG, IATA UN2811


14.2 UN proper shipping name

DOT, IATA TOXIC SOLID, ORGANIC, N.O.S. (1,3-di-o-tolylguanidine),
 ADR 2811, TOXIC SOLID, ORGANIC, N.O.S. (1,3-di-o-tolylguanidine)
 IMDG TOXIC SOLID, ORGANIC, N.O.S
 DOT



Label: 6.1

ADR



Label: 6.1

IMDG, IATA



Label: 6.1

14.4 Packing group

DOT, ADR, IMDG, IATA III

14.5 Environmental hazards

Marine pollutant No
 Special Marking (ADR) Symbol (fish and tree)

14.6 Special precautions for user

Warning: Toxic substances.

14.7 Transport in bulk according to

Annex II of MARPOL73/78 and the IBC Code: Not applicable.
 UN "Model Regulation" UN2811, TOXIC SOLID, ORGANIC, N.O.S., ENVIRONMENTALLY HAZARDOUS, 6.1, III

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)	
SARA Section 355 (extremely hazardous substances)	None of the ingredients is listed.
SARA Section 313 (Specific toxic chemical listings)	95-53-4 o-toluidine.
TSCA (Toxic Substances Control Act)	All ingredients are listed
Proposition 65 (California)	
Chemicals known to cause cancer	95-53-4 o-toluidine.
Chemicals known to cause reproductive toxicity for females	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males	None of the ingredients is listed.
Chemicals known to cause developmental toxicity	None of the ingredients is listed.
Carcinogenic Categories	
EPA (Environmental Protection Agency)	None of the ingredients is listed.
IARC (International Agency for Research on Cancer)	95-53-4 o-toluidine. 1
TLV (Threshold Limit Value established by ACGIH)	95-53-4 o-toluidine. A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	95-53-4 o-toluidine.
OSHA-Ca (Occupational Safety & Health Administration)	None of the ingredients is listed.
Canada	
Canadian Domestic Substances List (DSL)	All ingredients are listed.
Canadian Ingredient Disclosure list (limit 0.1%)	95-53-4 o-toluidine.
Canadian Ingredient Disclosure list (limit 1%)	None of the ingredients is listed.

National regulations
 Information about limitation of use
 Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
 Exceptions can be made by the authorities in certain cases.
 Other regulations, limitations and prohibitive regulations
 Substances of very high concern (SVHC) according to REACH, Article 57
 95-53-4 o-toluidine

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H350 May cause cancer.H400 Very toxic to aquatic life.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent